


COLUMBUS OFFICE:
P.O. Box 167
5227 South Frontage Rd.
Columbus, MS 39703-0167
Phone: (662) 327-8990
Fax: (662) 327-8991



ROGER A. PRYOR, AIA
JOHN C. MORROW, AIA
RUD B. ROBISON, JR., AIA
WILLIAM V. DEXTER, JR., AIA
COREY D. RAVENHORST, P.E.
J GUADALUPE ARELLANO, AIA

May 8, 2013

JD Humphrey
Terracon
859 Pear Orchard Rd.
Ridgeland, MS 39157

Mike Biglane
SoilTech Engineering
123 Jeff Davis Ave.
Long Beach, MS 39560

Mary McCaleb-Herbert
Eustis Engineering
14368 Creosote Rd.
Gulfport, MS 39503

RE: 2013104
Vancleave Upper Elementary Administration Building
Jackson County School District
Vancleave, Mississippi

Subject: Testing Laboratory and Inspection Service


All,

A total of four (4) addenda were issued for the above referenced project. These addenda were sent to you as they were published by e-mail as well as to all Plan-Holders. The project bid date of May 9, 2013 was not changed by any of the addenda items. You are responsible for reviewing all addendum items which may impact your services.

The testing laboratory and inspection service (Construction Quality Control, Materials Testing Services, and Special Inspection Services) shall be per drawings and specifications, and Chapter 17 of the **2012 International Building Code**. Refer to addendum 1, item 2 "*The authority having jurisdiction over this project has adopted the 2012 edition of the International Building Code*". Also, refer to addendum 3, item 7 for revised Section 01451 Testing Laboratory and Inspection Services. To the best of our knowledge these are the two addendum items that will impact your services the most.

If you are interested in providing these services, please submit a proposal for our review no later than Friday May 10, 2013 at 12:00 pm. We will forward your proposals to the Owner, and we will notify you of the Owner's decision regarding your proposal. If you have any questions, please give us a call.

Sincerely,



J Guadalupe Arellano, Architect
Pryor & Morrow Architects and Engineers, P.A.

Cc via e-mail only: Dr. Barry Amacker; Marie Souza; Hal Holmes

C O L U M B U S • T U P E L O
www.pryor-morrow.com